

## CENTRAL COAST WATER AUTHORITY POLONIO PASS WATER TREATMENT PLANT WATER QUALITY TABLE

COVERING THE REPORTING PERIOD OF JANUARY-DECEMBER 2020

Please see last page for key to abbreviations.

						TREATED	SOURCE	
		State	PHG	State	Range		STATE	
Parameter	Units	MCL	(MCLG)	DLR	Average	CCWA	WATER	Major Sources in Drinking Water

# PRIMARY STANDARDS--Mandatory Health-Related Standards

## CLARITY (a)

Combined Filter Effluent	TT=<1 NTU every 4 hours	Range	0 - 0.12	NA	Soil runoff
Turbidity (a)	TT=95% of samples <0.3 NTU	%	100%	NA	Son runon

#### INORGANIC CHEMICALS

Aluminum	ma/L	1 (b)	0.6	0.05	Range	ND - 0.091	ND - 0.091	Erosion of natural deposits; residual from some
Aummum	iiig/L	I (D)	0.0	0.05	Average	0.058	0.044	surface water treatment processes

## DISTRIBUTION SYSTEM MONITORING

Total Chlorine Residual	mg/L	MRDL = 4.0	MRDLG =	NA	Range	0.88 - 3.42	NA	Drinking water disinfectant added for treatment
Total Chilonne Residual	iiig/∟	WINDL = 4.0	4.0	INA.	Average	2.57	NA	Drinking water disinfectant added for treatment
Total Coliform		5.0% of			Range	0	NA	
Bacteria (c)		monthly	(0)		Average	0	NA	Naturally present in the environment
Basteria (0)		samples			Highest	0%	NA	
Total Trihalomethanes					Range	26 - 57	NA	
(d)	ug/L	80	NA	(0.5)	Average	40	NA	By-product of drinking water chlorination
(u)					Highest LRAA	42.5	NA	
					Range	7.4 - 22	NA	
Haloacetic Acids (d)	ug/L	60	NA	(1) (e)	Average	13	NA	By-product of drinking water chlorination
					Highest LRAA	15.8	NA	

## SECONDARY STANDARDS--Aesthetic Standards

Chloride	mg/L	500 (j)	NA	(1)	Range	0 - 124	0 - 120	Runoff/leaching from natural deposits; seawater
Chionde	iiig/∟	500 (J)	117	(1)	Average	73	70	influence
Color	ACU	15 (j)	NA	(3)	Range	ND	20	Naturally occuring organic materials
000	ACO	15 ()	IN/A	(3)	Average	ND	20	Naturally occurring organic materials
Corrosivity	SU	non-	NA	(0.1)	Range	12	12	
(Aggresivity Index) (i)	30	corrosive	NA.	(0.1)	Average	12	12	
Manganese, Total	ug/L	50 (j)	NA	(2)	Range	ND	59	
Manganese, rotai	ug/∟	50 (j)	na.	(2)	Average	ND	59	
Odor Threshold (k)	TON	3 (j)	NA	(1)	Range	2 - 8	3 - 8	Naturally occuring organic materials
	TON	5()	NA.	(1)	Average	5	6	Naturally occurring organic materials
Specific Conductance	uS/cm	1600 (j)	NA	NA	Range	337 - 621	287 - 594	Substances that form ions when in water;
	uo/cm	1000 (j)	INA.	INA	Average	503	458	seawater influence
Sulfate	mg/L	500 (j)	NA	(0.5)	Range	63	38	Runoff/leaching from natural deposits; industrial
Sullate	mg/∟	500 (J)	IN/A	(0.3)	Average	63	38	wastes
Total Dissolved Solids	mg/L	1000 (j)	NA	(10)	Range	280	240	-Runoff/leaching from natural deposits
(TDS)	mg/∟	1000 (j)	IN/A	(10)	Average	280	240	- Runonneaching norn natural deposits
Turbidity (Monthly) (a)	NTU	5 (j)	NA	(0.1)	Range	ND - 0.16	ND - 9.7	– Soil runoff
rubidity (Monthly) (a)	1110	5()	NA.	(0.1)	Average	0.06	1.52	

### ADDITIONAL PARAMETERS (Unregulated)

					-			
2-Methylisoborneol	ng/L	NA	NA	(1)	Range	ND - 3.9	ND - 11	An organic compound mainly produced by blue-
2-meanyii30borrieor	iig/L		1973	(1)	Average	0.6	3.9	green algae (cyanobacteria)
Alkalinity (Total) as	ma/l	NA	NA	(2)	Range	46 - 86	60 - 90	Runoff/leaching from natural deposits; seawater
CaCO3 equivalents	mg/L	INA	INA	(2)	Average	68	74	influence
Calcium	ma m /l	NA	NA	(1)	Range	20	20	Runoff/leaching from natural deposits; seawater
Calcium	mg/L	NA	INA	(1)	Average	20	20	influence
					Range	0.078	0.067	tanneries, wood preservation, chemical
Chromium, Hexavalent	ug/L	NA	0.02	NA	<u> </u>			synthesis, refractory production, and textile
					Average	0.078	0.067	manufacturing facilities: erosion of natural
Geosmin	m m //	NA	NA	(1)	Range	ND - 3.9	1 - 30	An organic compound mainly produced by
Geosmin	ng/L	NA	INA	(1)	Average	0.6	5.6	bacterial growth in surface water
Hardness (Total) as		NA	NIA	(0)	Range	64 - 126	64 - 130	
CaCO3	mg/L	NA	NA	(3)	Average	97	97	Leaching from natural deposits
Heterotrophic Plate		TT	NIA	NA	Range	0 - 11	NA	
Count (f)	CFU/mL	11	NA	NA	Average	1	NA	— Naturally present in the environment
Magnaaium	ma m /l	NA	NA	(0.1)	Range	12	12	Runoff/leaching from natural deposits; seawater
Magnesium	mg/L	NA	INA	(0.1)	Average	12	12	influence
Hα	SU	NA	NA	(0.1)	Range	7.5 - 8.85	7.9 - 9.5	5 Runoff/leaching from natural deposits; seawater
рп	30	INA	INA	(0.1)	Average	8.4	8.6	influence
Potassium	ma m /l	NA	NA	(1)	Range	2.8	2.7	Runoff/leaching from natural deposits; seawater
Polassium	mg/L	NA	INA	(1)	Average	2.8	2.7	influence
Sodium	ma/l	NA	NA	(1)	Range	56	50	Runoff/leaching from natural deposits; seawater
	mg/L	INA	INA	(1)	Average	56	50	influence
Total Organic Carbon	mg/L	TT	NA	(0.3)	Range	1.4 - 2.6	1.8 - 4	Various natural and man made sources
(TOC) (g)	g/∟			(0.0)	Average	2.0	3.2	validas hatarar and main made sources

### ABBREVIATIONS AND NOTES

#### Footnotes:

- (a) Turbidity (NTU) is a measure of the cloudiness of the water and it is a good indicator of the effectiveness of our filtration system. Monthly turbidity values are listed in the Secondary Standards section.
- (b) Aluminum has a Secondary MCL of 0.2 ppm.
- (c) Total coliform MCLs: Systems that collect ≥40 samples/month no more than 5.0% of the monthly samples may be Total Coliform positive. Systems that collect <40 samples per month no more than 1 positive sample per month may be Total Coliform positive. Fecal coliform/E. coli MCLs: The occurrence of 2 consecutive Total Coliform positive samples, one of which contains fecal coliform/E. coli, constitutes an acute MCL violation.
- (d) Compliance based on the running quarterly annual average of distribution system samples.
  (e) Monochloroacetic Acid (MCAA) has a DLR of 2.0 ug/L while the other four Haloacetic Acids
- have DLR's of 1.0 ug/L.
- (f) Pour plate technique
- (g) TOCs are taken at the treatment plant's combined filter effluent.
- (h) State MCL is 45 mg/L as NO3, which equals 10 mg/L as N.
- (i) Al <sup>3</sup> 12.0 = Non-aggressive water
  Al (10.0 11.9) = Moderately aggressive water
  Al £ 10.0 = Highly aggressive water
- Reference: ANSI/AWWA Standard C400-93 (R98) (j) Secondary MCL

#### Abbreviations

- ACU = Apparent Color Units CCWA = Central Coast Water Authority CFU/ml = Colony Forming Units per milliliter DLR = Detection Level for purposes of Reporting MCL = Maximum Contaminant Level MCLG = Maximum Contaminant Level Goal MRDL = Maximum Residual Disinfectant Level MRDLG = Maximum Residual Disinfectant Level Goal NA = Not Applicable ND = Non-detected above detection limit (DLR) NTU = Nephelometric Turbidity Units pCi/L = PicoCuries per liter PHG = Public Health Goal ppb = parts per billion, or micrograms per liter (µg/L) ppm = parts per million, or milligrams per liter (mg/L) TON = Threshold Odor Number TT = Treatment Technique
- LRAA = Locational Running Annual Average
- (k) Secondary MCL was exceeded for the annual CCWA Treated Water sample. Quarterly monitoring was instituted and will continue for a minimum of one year and reduced monitoring is approved by State Board. Samples were collected and analyzed for Threshold Odor in July and October. Threshold Odor Number (TON) results were 8 and 2, respectively. A third sample collected in the first quarter of 2021 resulted in a TON of 1.

					Raw Sourc	e Water	Treated	Water	
		State or			State Water	r Project	Polonio Pa	ss WTP	
Parameter	Units	Federal MCL [MRDL]	PHG (MCLG) [MRDLG]	State DLR (MRL)	Most Recent Sample Date	Result	Most Recent Sample Date	Result	Major Sources in Drinking Water
MICROBIOLOGICAL		[]	[	(					
Cryptosporidium	Oocysts/200L	TT	(0)	NA	3/5/2020	0	NC	NC	Naturally present in the environment
Giardia	Cysts/200L	TT	(0)	NA	3/5/2020	0	NC	NC	Naturally present in the environment
RADIONUCLIDES									
Gross Alpha Particle	pCi/L	15	(0)	3	5/28/2020	ND	5/28/2020	ND	Erosion of natural deposits
	poi/L		(0)	5	3/20/2020	ND	3/28/2020	ND	
Gross Beta Particle (g)	pCi/L	50 (g)	(0)	4	5/28/2020	ND	5/28/2020	ND	Decay of natural and man-made deposits
ORGANIC CHEMICALS Regulated VOC's plus List	ts 1&3 (EPA	524.2)							
				(0.5)	5/00/0000		E (00 (00 00		
1,1,1,2-Tetrachloroethane	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
1,1,1-Trichloroethane	ug/L	200	1000	0.5	5/28/2020	ND	5/28/2020	ND	Discharge from metal degreasing sites and other factories; manufacture of food wrappings
1,1,2,2-Tetrachloroethane	ug/L	1	0.1	0.5	5/28/2020	ND	5/28/2020	ND	Discharge from industrial and agricultural chemical factories; solvent used in production of TCE, pesticides, varnish and lacquers
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/L	1.2	4	0.01	5/28/2020	ND	5/28/2020	ND	Discharge from metal degreasing sites and other factories; dry cleaning solvent; refrigerant
4.4.0 Tricklass athens		5	0.0		5/00/0000	ND	E /00/0000	ND	Discharge form industrial determined for trainer
1,1,2-Trichloroethane	ug/L	5	0.3	0.5	5/28/2020	ND	5/28/2020	ND	Discharge from industrial chemical factories
1,1-Dichloroethane	ug/L	5	3	0.5	5/28/2020	ND	5/28/2020	ND	Extraction and degreasing solvent; used in manufacture of pharmaceuticals, stone, clay and glass products; furnigant
1,1-Dichloroethylene	ug/L	6	10	0.5	5/28/2020	ND	5/28/2020	ND	Discharge from industrial chemical factories
1,1-Dichloropropene	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
1,2,3-Trichlorobenzene	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
1,2,3-Trichloropropane	ng/L	5 (e)	0.7	5	5/28/2020	ND	5/28/2020	ND	Discharge from industrial and agricultural chemical factories; leaching from hazardous waste sites; used as cleaning and maintenance solvent, paint and varnish remover, and cleaning and degreasing agent; byproduct during the production of other compounds and pesticides.
1,2,4-Trichlorobenzene	ug/L	5	5	0.5	5/28/2020	ND	5/28/2020	ND	Discharge from textile-finishing factories
1,2,4-Trimethylbenzene	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Ethylene dibromide	ng/L	50	10	20	5/28/2020	ND	5/28/2020	ND	Discharge from petroleum refineries; underground gas tank leaks; banned nematocide that may still be present in soils due to runoff and leaching from grain and fruit crops
1,2-Dichlorobenzene	ug/L	600	600	0.5	5/28/2020	ND	5/28/2020	ND	Discharge from industrial chemical factories
1,2-Dichloroethane	ng/L	500	400	0.5	5/28/2020	ND	5/28/2020	ND	Discharge from industrial chemical factories
1,2-Dichloropropane	ug/L	5	0.5	0.5	5/28/2020	ND	5/28/2020	ND	Discharge from industrial chemical factories; primary component of some fumigants
1,3,5-Trimethylbenzene	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
1,3-Dichlorobenzene	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
1,0 5101101050120110	ug/L	144		(0.0)	012012020		012012020	140	4

13-Dictorpanevgl,NA </th <th></th>										
Index      Index      Index      Statuting      Statuting<	1.3-Dichloropropane	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Appendix	.,	3,			(0.0)					
Anton      And      And      And      And      Space of the space	1,4-Dichlorobenzene	ug/L	5	6	0.5	5/28/2020	ND	5/28/2020	ND	Discharge from industrial chemical factories
Anton      And      And      And      And      Space of the space					(0.5)	5/00/0000		5/00/0000		
Altered      Aug	2,2-Dichloropropane	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Altered      Aug	2-Butanone	ua/L	NA	NA	5	5/28/2020	ND	5/28/2020	ND	
Augle      Nu      Nu      Nu      Size of the second sec		3,								
Bergene      Ingl.      Ingl. <thingl.< th="">      Ingl.      Ingl.      <t< td=""><td>2-Chlorotoluene</td><td>ug/L</td><td>NA</td><td>NA</td><td>(0.5)</td><td>5/28/2020</td><td>ND</td><td>5/28/2020</td><td>ND</td><td></td></t<></thingl.<>	2-Chlorotoluene	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Bergene      Ingl.      Ingl. <thingl.< th="">      Ingl.      Ingl.      <t< td=""><td></td><td></td><td>N10</td><td></td><td>(5)</td><td>5/00/0000</td><td>ND</td><td>5/00/0000</td><td>ND</td><td></td></t<></thingl.<>			N10		(5)	5/00/0000	ND	5/00/0000	ND	
And      NA      S28202 <t< td=""><td>4-Methyl-2-pentanone</td><td>ug/L</td><td>NA</td><td>NA</td><td>(5)</td><td>5/28/2020</td><td>ND</td><td>5/28/2020</td><td>ND</td><td></td></t<>	4-Methyl-2-pentanone	ug/L	NA	NA	(5)	5/28/2020	ND	5/28/2020	ND	
And      NA      S28202 <t< td=""><td>Benzene</td><td>ug/L</td><td>1</td><td>0.15</td><td>0.5</td><td>5/28/2020</td><td>ND</td><td>5/28/2020</td><td>ND</td><td>Discharge from plastics, dyes and nylon factories; leaching from gas storage tanks and landfills</td></t<>	Benzene	ug/L	1	0.15	0.5	5/28/2020	ND	5/28/2020	ND	Discharge from plastics, dyes and nylon factories; leaching from gas storage tanks and landfills
Non-thorement      Nu      Nu      Nu      Status      Nu										
Instrumentation      Instrumentation      Instrumentation      Instrumentation      Instrumentation      Instrumentation      Instrumentation        Genomentation      Ingl      NA      NA      Instrumentation      Instrumentation      Instrumentation      Instrumentation      Instrumentation        Carbon deside      Ingl      NA      NA      Instrumentation      Instrumentation </td <td>Bromobenzene</td> <td>ug/L</td> <td>NA</td> <td>NA</td> <td>(0.5)</td> <td>5/28/2020</td> <td>ND</td> <td>5/28/2020</td> <td>ND</td> <td></td>	Bromobenzene	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Instrumentation      Instrumentation      Instrumentation      Instrumentation      Instrumentation      Instrumentation      Instrumentation        Genomentation      Ingl      NA      NA      Instrumentation      Instrumentation      Instrumentation      Instrumentation      Instrumentation        Carbon deside      Ingl      NA      NA      Instrumentation      Instrumentation </td <td>Promobileremethane</td> <td>uall</td> <td>NIA</td> <td>NA</td> <td>(0 E)</td> <td>E/28/2020</td> <td>ND</td> <td>E/28/2020</td> <td>ND</td> <td></td>	Promobileremethane	uall	NIA	NA	(0 E)	E/28/2020	ND	E/28/2020	ND	
Carbon disulfied      Unit      NA      NA      NA      Solution      Solution      NA      Solution      Solution <td>Biomocnioiometrane</td> <td>ug/L</td> <td>IN/A</td> <td>INA</td> <td>(0.3)</td> <td>3/20/2020</td> <td>ND</td> <td>3/20/2020</td> <td>ND</td> <td></td>	Biomocnioiometrane	ug/L	IN/A	INA	(0.3)	3/20/2020	ND	3/20/2020	ND	
And      And <td>Bromomethane</td> <td>ug/L</td> <td>NA</td> <td>NA</td> <td>(0.5)</td> <td>5/28/2020</td> <td>ND</td> <td>5/28/2020</td> <td>ND</td> <td></td>	Bromomethane	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
And      And <td></td>										
ChoobeneeNote<	Carbon disulfide	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
ChoobeneeNote<	Carbon tetrachloride	ng/l	500	100	500	5/28/2020	ND	5/28/2020	ND	Discharge from chemical plants and other industrial activities
ChioreethaneIndia </td <td>Carbon tetrachionde</td> <td>ng/L</td> <td>300</td> <td>100</td> <td>500</td> <td>3/20/2020</td> <td>ND</td> <td>3/20/2020</td> <td>ND</td> <td></td>	Carbon tetrachionde	ng/L	300	100	500	3/20/2020	ND	3/20/2020	ND	
Choromethane  Mug/L  Mug/L <td>Chlorobenzene</td> <td>ug/L</td> <td>70</td> <td>200</td> <td>(0.5)</td> <td>5/28/2020</td> <td>ND</td> <td>5/28/2020</td> <td>ND</td> <td></td>	Chlorobenzene	ug/L	70	200	(0.5)	5/28/2020	ND	5/28/2020	ND	
Choromethane  Mug/L  Mug/L <td></td>										
Indiana	Chloroethane	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Indiana	Chloromethane	ug/l	NA	NΔ	(0.5)	5/28/2020	ND	5/28/2020	ND	
data	Chioromethane	ug/L	11/4	11/4	(0.0)	3/20/2020	ND	3/20/2020	ND	
data	-i- 4.0 Disklass attributes		0	400	0.5	5/00/0000	ND	5/00/0000	ND	Discharge from industrial chemical factories; major biodegradation by-product of TCE and PCE
Index	cis-1,2-Dicilioroetityiene	ug/L	0	100	0.5	5/26/2020	ND	5/26/2020	ND	groundwater contamination
Index	eia 1.2 Diablaranzanana	110/1	NIA	NA		E/28/2020	ND	E/28/2020	ND	Durafflanshing from nomotoxide used on excelande
Image: Constraint of the state of the s	cis-1,3-Dichloropropene	ug/L	NA	NA		5/28/2020	ND	5/28/2020	ND	Runon/leaching from hematocide used on cropiands
Index	Dibromomethane	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Land    Land <thland< th="">    Land    Land</thland<>										
Link	Diisopropyl ether	ug/L	NA	NA	(3)	5/28/2020	ND	5/28/2020	ND	
Link	Dichlorodifluoromethane	ug/l	ΝΔ	NΔ	(0.5)	5/28/2020	ND	5/28/2020	ND	
Instrument    Instrument <td>Dichlorodindoromethane</td> <td>ug/L</td> <td>11/4</td> <td>11/4</td> <td>(0.0)</td> <td>3/20/2020</td> <td>ND</td> <td>3/20/2020</td> <td>ND</td> <td></td>	Dichlorodindoromethane	ug/L	11/4	11/4	(0.0)	3/20/2020	ND	3/20/2020	ND	
Image: Mark Mark Mark Mark Mark Mark Mark Mark	Ethylbenzene	ug/L	300	300	0.5	5/28/2020	ND	5/28/2020	ND	Discharge from petroleum refineries; industrial chemical factories
Image: Mark Mark Mark Mark Mark Mark Mark Mark										
Isopropylbenzene      ug/L      NA      NA      (0.5)      5/28/2020      ND      5/28/2020      ND	tert-Butyl ethyl ether	ug/L	NA	NA	(3)	5/28/2020	ND	5/28/2020	ND	
Isopropylbenzene      ug/L      NA      NA      (0.5)      5/28/2020      ND      5/28/2020      ND	Hexachlorobutadiene	ua/l	NΔ	NΔ	(0.5)	5/28/2020	ND	5/28/2020	ND	
		ug/L			(0.0)	0/20/2020	115	0/20/2020	110	
m,p-Xylenes ug/L NA NA (0.5) 5/28/2020 ND 5/28/2020 ND Discharge from petroleum and chemical factories; fuel solvent	Isopropylbenzene	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
m.pXylenes ug/L NA NA (0.5) 5/28/2020 ND 5/28/2020 ND Discharge from petroleum and chemical factories; fuel solvent					(0.5)	5/00/0000		5/00/0000		
	m,p-Xylenes	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	Discharge from petroleum and chemical factories; fuel solvent
Dichloromethane ug/L 5 4 0.5 5/28/2020 ND 5/28/2020 ND Discharge from pharmaceutical and chemical factories; insecticide	Dichloromethane	ug/L	5	4	0.5	5/28/2020	ND	5/28/2020	ND	Discharge from pharmaceutical and chemical factories; insecticide
			-	· · ·						
Methyl tert-butyl ether (a) ug/L 13 (b) 13 3 5/28/2020 ND 5/28/2020 ND Leaking underground storage tanks; discharge from petroleum and chemical factories	Methyl tert-butyl ether (a)	ug/L	13 (b)	13	3	5/28/2020	ND	5/28/2020	ND	Leaking underground storage tanks; discharge from petroleum and chemical factories
	N =		N/A	NIA	(0.5)	E100/2020	ND	E/00/2020	ND	
Naphthalene ug/L NA NA (0.5) 5/28/2020 ND 5/28/2020 ND		ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
n-Butylbenzene ug/L NA NA (0.5) 5/28/2020 ND 5/28/2020 ND	n-Butvlbenzene	ya/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
	•									
n-Propylbenzene ug/L NA NA (0.5) 5/28/2020 ND 5/28/2020 ND	n-Propylbenzene	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
					(0.5)	5/00/0000	ND	5/00/0000	ND	
o-Xylene ug/L NA NA (0.5) 5/28/2020 ND 5/28/2020 ND Discharge from petroleum and chemical factories; fuel solvent	o-xyiene	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	Discharge from petroleum and chemical factories; fuel solvent
	p-Chlorotoluene	ua/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
p-Chlorotoluene ug/L NA NA (0.5) 5/28/2020 ND 5/28/2020 ND	•	<u> </u>			N7					
p-Chlorotoluene ug/L NA NA (0.5) 5/28/2020 ND 5/28/2020 ND 5/28/2020 ND p-choropyltoluene ug/L NA NA (0.5) 5/28/2020 ND 5/28/2020 ND 5/28/2020 ND										

sec-Butylbenzene	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Styrene	ug/L	100	0.5	0.5	5/28/2020	ND	5/28/2020	ND	Discharge from rubber and plastic factories; leaching from landfills
tert-Amyl methyl ether	ug/L	NA	NA	(3)	5/28/2020	ND	5/28/2020	ND	
	, j								
tert-Butylbenzene	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Tetrachloroethylene	ug/L	5	0.06	0.5	5/28/2020	ND	5/28/2020	ND	Discharge from factories, dry cleaners, and auto shops (metal degreaser)
Torradinorodayiono	ug/2	, , , , , , , , , , , , , , , , , , ,	0.00	0.0	0/20/2020	115	0/20/2020		
Toluene	ug/L	150	150	0.5	5/28/2020	ND	5/28/2020	ND	Discharge from petroleum and chemical factories; underground gas tank leaks
1,3-Dichloropropene, Total	ng/L	500	200	500	5/28/2020	ND	5/28/2020	ND	Runoff/leaching from nematocide used on croplands
	ng/E	000	200	000	0/20/2020	ND	0/20/2020	ND	
Total Xylenes	mg/L	1.750	1.8	0.0005	5/28/2020	ND	5/28/2020	ND	Discharge from petroleum and chemical factories; fuel solvent
									Discharge from industrial chemical factories; minor biodegradation by-product of TCE and PCE
trans-1,2-Dichloroethylene	ug/L	10	60	0.5	5/28/2020	ND	5/28/2020	ND	groundwater contamination
trans-1,3-Dichloropropene	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	Runoff/leaching from nematocide used on croplands
Trichloroethylene	ug/L	5	1.7	0.5	5/28/2020	ND	5/28/2020	ND	Discharge from metal degreasing sites and other factories
Trichlorofluoromethane	ug/L	150	1300	5	5/28/2020	ND	5/28/2020	ND	Discharge from industrial factories; degreasing solvent; propellant and refrigerant
									Leaching from PVC piping; discharge from plastics factories; biodegradation by-product of TCE and PCE
Vinyl chloride	ng/L	500	50	500	5/28/2020	ND	5/28/2020	ND	groundwater contamination
Organochlorine Pesticides	s/PCBs (EP	A 505)							
A1 11					5/00/0000	ND	5/00/0000	ND	
Alachlor	ug/L	2	4	1	5/28/2020	ND	5/28/2020	ND	Runoff from herbicide used on row crops
Aldrin	ug/L	NA	NA	(0.01)	5/28/2020	ND	5/28/2020	ND	
Chlordane	ng/L	100	30	100	5/28/2020	ND	5/28/2020	ND	Residue of banned insecticide
Dieldrin	ug/L	NA	NA	(0.2)	5/28/2020	ND	5/28/2020	ND	
Endrin	ug/L	2	0.3	0.1	5/28/2020	ND	5/28/2020	ND	Residue of banned insecticide and rodenticide
Heptachlor	ng/L	10	8	10	5/28/2020	ND	5/28/2020	ND	Residue of banned insecticide
Heptachlor epoxide	ng/L	10	6	10	5/28/2020	ND	5/28/2020	ND	Breakdown of heptachlor
Lindane	ng/L	200	32	200	5/28/2020	ND	5/28/2020	ND	Runoff/leaching from insecticide used on cattle, lumber, gardens
	5								
Methoxychlor	ug/L	30	0.09	10	5/28/2020	ND	5/28/2020	ND	Runoff/leaching from insecticide used on fruits, vegetables, alfalfa, livestock
PCB 1016 Aroclor (as DCB)	ug/L	0.5	NA	(0.1)	5/28/2020	ND	5/28/2020	ND	Runoff from landfills; discharge of waste chemicals
	ug/2	0.0		(0.1)	0/20/2020	115	0/20/2020		
PCB 1221 Aroclor (as DCB)	ug/L	0.5	NA	(0.1)	5/28/2020	ND	5/28/2020	ND	Runoff from landfills; discharge of waste chemicals
PCB 1232 Aroclor (as DCB)	ug/L	0.5	NA	(0.1)	5/28/2020	ND	5/28/2020	ND	Runoff from landfills; discharge of waste chemicals
	ug/L	0.5	INA.	(0.1)	5/20/2020		5/20/2020		
PCB 1242 Aroclor (as DCB)	ug/L	0.5	NA	(0.1)	5/28/2020	ND	5/28/2020	ND	Runoff from landfills; discharge of waste chemicals
PCB 1248 Aroclor (as DCB)	110/1	0.5	NIA	(0.1)	5/28/2020	ND	5/28/2020	ND	Runoff from landfills; discharge of waste chemicals
	ug/L	0.5	NA	(0.1)	5/20/2020	ND	5/26/2020	UN	
PCB 1254 Aroclor (as DCB)	ug/L	0.5	NA	(0.1)	5/28/2020	ND	5/28/2020	ND	Runoff from landfills; discharge of waste chemicals
		0.5		(0.4)	E 100 10000	ND	E 100 10000	ND	
PCB 1260 Aroclor (as DCB)	ug/L	0.5	NA	(0.1)	5/28/2020	ND	5/28/2020	ND	Runoff from landfills; discharge of waste chemicals
PCB`s, Total	ng/L	500	90	500	5/28/2020	ND	5/28/2020	ND	Runoff from landfills; discharge of waste chemicals
-									
Toxaphene	ug/L	3	0.03	1	5/28/2020	ND	5/28/2020	ND	Runoff/leaching from insecticide used on cotton and cattle

Aldicarbs (EPA 531.2)									
				(0.5)	= /0.0 /0.000		= /00 /00 00		
3-Hydroxycarbofuran	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Aldicarb	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Aldicarb sulfone	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Aldicard sullone	ug/L	NA	INA	(0.5)	5/28/2020	ND	5/26/2020	ND	
Aldicarb sulfoxide	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Baygon	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Carbaryl	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Carbofuran	ug/L	18	0.7	5	5/28/2020	ND	5/28/2020	ND	Leaching of soil fumigant used on rice and alfalfa, and grape vineyards
		NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Methiocarb	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Methomyl	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
									Runoff/leaching from insecticide used on field crops, fruits and ornamentals, especially apples, potatoes,
Oxamyl	ug/L	50	26	20	5/28/2020	ND	5/28/2020	ND	and tomatoes
Diment and Dama much (EDA	540.0								
Diquat and Paraquat (EPA	549.2)								
Diquat	ug/L	20	6	4	5/28/2020	ND	5/28/2020	ND	Runoff from herbicide use for terrestrial and aquatic weeds
		NA	NIA	(0)	5/00/0000	ND	E 100 10000	ND	
Paraquat	ug/L	NA	NA	(2)	5/28/2020	ND	5/28/2020	ND	
EDB and DBCP (EPA 551.1	1)								
Dibromochloropropane	ng/L	200	1.7	10	5/28/2020	ND	5/28/2020	ND	Banned nematocide that may still be present in soils due to runoff/leaching from former use on soybeans, cotton, vinevards, tomatoes, and tree fruit
Ethylene dibromide	ng/L	50	10	20	5/28/2020	ND	5/28/2020	ND	Discharge from petroleum refineries; underground gas tank leaks; banned nematocide that may still be present in soils due to runoff and leaching from grain and fruit crops
Chlorophenoxy Herbicides	s (EPA 515	.4)					-		
2,4,5-T	ug/L	NA	NA	(0.2)	5/28/2020	ND	5/28/2020	ND	
2,4,5-1	ug/L	NA	INA	(0.2)	5/28/2020	ND	5/26/2020	ND	
2,4,5-TP	ug/L	50	3	1	5/28/2020	ND	5/28/2020	ND	Residue of banned herbicide
2,4-Dichlorophenoxyacetic acid	ug/L	70	20	10	5/28/2020	ND	5/28/2020	ND	Runoff from herbicide used on row crops, range land, lawns, and aquatic weeds
									אמויט איז
2,4-DB	ug/L	NA	NA	2	5/28/2020	ND	5/28/2020	ND	
3,5-Dichlorobenzoic acid	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
A sife sector		NIA.	N/A	(0.0)	E/00/0000	ND	E/00/2022	ND	
Acifluorfen	ug/L	NA	NA	(0.2)	5/28/2020	ND	5/28/2020	ND	
Bentazon	ug/L	18	200	2	5/28/2020	ND	5/28/2020	ND	Runoff/leaching from herbicide used on beans, peppers, corn, peanuts, rice, and ornamental grasses
			200	-	0/20/2020		0/20/2020		
Dalapon	ug/L	200	790	10	5/28/2020	ND	5/28/2020	ND	Runoff from herbicide used on rights-of-way, and crops and landscape maintenance
Disembe		NIA.	N/A	(0.1)	E100/0000	ND	E/00/2022	ND	
Dicamba	ug/L	NA	NA	(0.1)	5/28/2020	ND	5/28/2020	ND	
Dichlorprop	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Dinoseb	ug/L	7	14	2	5/28/2020	ND	5/28/2020	ND	Runoff from herbicide used on soybeans, vegetables, and fruits
	ug/L						5/20/2020		
Pentachlorophenol	ug/L	1	0.3	0.2	5/28/2020	ND	5/28/2020	ND	Discharge from wood preserving factories, cotton and other insecticidal/herbicidal uses

Picloram	ug/L	500	166	1	5/28/2020	ND	5/28/2020	ND	Herbicide runoff
DODA (tatal Mana & Dissid Damadatas)		NA	NA	(0.4)	5/28/2020	ND	5/28/2020	ND	
DCPA (total Mono & Diacid Degradates)	ug/L	NA	NA	(0.1)	5/28/2020	ND	5/28/2020	ND	
Other Synthetic Organics									
Dioxin	pg/L	30	0.05	5	5/28/2020	ND	5/28/2020	ND	Emissions from waste incineration and other combustion; discharge from chemical factories
Endothall	ug/L	100	94	45	5/28/2020	ND	5/28/2020	ND	Runoff from herbicide use for terrestrial and aquatic weeds; defoliant
Glyphosate	ug/L	700	900	25	5/28/2020	ND	5/28/2020	ND	Runoff from herbicide use
Semivolatiles (EPA 525.2)									
Seniivolatiles (El A 525.2)									
2,4-Dinitrotoluene	ug/L	NA	NA	(0.1)	5/28/2020	ND	5/28/2020	ND	
Acenaphthylene	ug/L	NA	NA	(0.1)	5/28/2020	ND	5/28/2020	ND	
alpha-Chlordane	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Anthracene	ug/L	NA	NA	(0.02)	5/28/2020	ND	5/28/2020	ND	
Atrazine	ug/L	1	0.15	0.5	5/28/2020	ND	5/28/2020	ND	Runoff from herbicide used on row crops and along railroad and highway right-of-ways
Benzo (a) anthracene	ug/L	NA	NA	(0.05)	5/28/2020	ND	5/28/2020	ND	
Benzo (a) pyrene	ng/L	200	7	100	5/28/2020	ND	5/28/2020	ND	Leaching from linings of water storage tanks and distribution mains
Benzo (b) fluoranthene	ug/L	NA	NA	(0.02)	5/28/2020	ND	5/28/2020	ND	
Benzo (g,h,i) perylene	ug/L	NA	NA	(0.05)	5/28/2020	ND	5/28/2020	ND	
Benzo (k) fluoranthene	ug/L	NA	NA	(0.02)	5/28/2020	ND	5/28/2020	ND	
Bromacil	ug/L	NA	NA	(0.2)	5/28/2020	ND	5/28/2020	ND	
Butachlor	ug/L	NA	NA	(0.05)	5/28/2020	ND	5/28/2020	ND	
Butylbenzylphthalate	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Caffeine	ug/L	NA	NA	(0.05)	5/28/2020	ND	5/28/2020	ND	
Chrysene	ug/L	NA	NA	(0.02)	5/28/2020	ND	5/28/2020	ND	
Di (2-Ethylhexyl) phthalate	ug/L	4	12	3	5/28/2020	ND	5/28/2020	ND	Discharge from rubber and chemical factories; inert ingredient in pesticides
Di-(2-Ethylhexyl) adipate	ug/L	400	200	5	5/28/2020	ND	5/28/2020	ND	Discharge from chemical factories
di-n-Butylphthalate	ug/L	NA	NA	(1)	5/28/2020	ND	5/28/2020	ND	
Diazinon	ug/L	NA	NA	(0.1)	5/28/2020	ND	5/28/2020	ND	
Dibenz (a,h) anthracene	ug/L	NA	NA	(0.05)	5/28/2020	ND	5/28/2020	ND	
Diethylphthalate	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Dimethoate	ug/L	NA	NA	(0.1)	5/28/2020	ND	5/28/2020	ND	
Dimethylphthalate	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Fluoranthene	ug/L	NA	NA	(0.1)	5/28/2020	ND	5/28/2020	ND	
Fluorene	ug/L	NA	NA	(0.05)	5/28/2020	ND	5/28/2020	ND	
gamma-Chlordane	ug/L	NA	NA	(0.05)	5/28/2020	ND	5/28/2020	ND	

Hexachlorobenzene	ug/L	1	0.03	0.5	5/28/2020	ND	5/28/2020	ND	Discharge from metal refineries and agricultural chemical factories; by-product of chlorination reactions in wastewater
Hexachlorocyclopentadiene	ug/L	50	2	1	5/28/2020	ND	5/28/2020	ND	Discharge from chemical factories
Indeno (1,2,3,c,d) Pyrene	ug/L	NA	NA	(0.05)	5/28/2020	ND	5/28/2020	ND	
Isophorone	ug/L	NA	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	
Metolachlor	ug/L	NA	NA	(0.05)	5/28/2020	ND	5/28/2020	ND	
Metribuzin	ug/L	NA	NA	(0.05)	5/28/2020	ND	5/28/2020	ND	
Molinate	ug/L	20	1	2	5/28/2020	ND	5/28/2020	ND	Runoff/leaching from herbicide used on rice
Phenanthrene	ug/L	NA	NA	(0.04)	5/28/2020	ND	5/28/2020	ND	
Propachlor	ug/L	NA	NA	(0.05)	5/28/2020	ND	5/28/2020	ND	
Pyrene	ug/L	NA	NA	(0.05)	5/28/2020	ND	5/28/2020	ND	
Simazine	ug/L	4	4	1	5/28/2020	ND	5/28/2020	ND	Herbicide runoff
Thiobencarb (a)	ug/L	70 (h)	42	1	5/28/2020	ND	5/28/2020	ND	Runoff/leaching from herbicide used on rice
trans-Nonachlor	ug/L	NA	NA	(0.05)	5/28/2020	ND	5/28/2020	ND	
Trifluralin	ug/L	NA	NA	(0.00)	5/28/2020	ND	5/28/2020	ND	
	ug/L	101		(0.1)	GIZGIZGZO	NB	GIEGIEGEG	ne	
INORGANIC CHEMICALS									
Antimony, Total	ug/L	6	1	6	5/28/2020	ND	5/28/2020	ND	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder
Asbestos	MFL	7	7	0.2	5/28/2020	0.193	5/28/2020	ND	Internal corrosion of asbestos cement water mains; erosion of natural deposits
Arsenic, Total	ug/L	10	0.004	2	5/28/2020	2.0	5/28/2020	ND	Erosion of natural deposits; runoff from orchards; glass and electronics production wastes
Barium, Total	mg/L	1	2	0.1	5/28/2020	35	5/28/2020	35	Discharges of oil drilling wastes and from metal refineries; erosion of natural deposits
Beryllium, Total	ug/L	4	1	1	5/28/2020	ND	5/28/2020	ND	Discharge from metal refineries, coal-burning factories, and electrical, aerospace, defense industries
Cadmium, Total	ug/L	5	0.04	1	5/28/2020	ND	5/28/2020	ND	Internal corrosion of galvanized pipes; erosion of natural deposits; discharge from electroplating and industrial chemical factories, and metal refineries; runoff from waste batteries and paints
Chromium, Total	ug/L	50	(100)	10	5/28/2020	ND	5/28/2020	ND	Discharge from steel and pulp mills and chrome plating; erosion of natural deposits
Copper (a)	mg/L	1 (c) (f)	0.3	0.05	5/28/2020	19	5/28/2020	4.1	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Cyanide	ug/L	150	150	100	5/28/2020	ND	5/28/2020	ND	Discharge from steel/metal, plastic and fertilizer factories
Hydroxide as OH	mg/L	NA	NA	(2)	5/28/2020	ND	5/28/2020	ND	
Iron, Total	mg/L	0.3 (j)	NA	0.1	5/28/2020	ND	5/28/2020	ND	Leaching from natural deposits; industrial wastes
Lead	ug/L	(c)	0.2	5	5/28/2020	ND	5/28/2020	ND	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion
Nickel, Total	ug/L	100	12	10	5/28/2020	ND	5/28/2020	ND	Erosion of natural deposits; discharge from metal factories
Perchlorate	ug/L	6 (d)	1	4	5/28/2020	ND	5/28/2020	ND	Perchlorate is an inorganic chemical used in solid rocket propellant, fireworks, explosives, flares, matches,
Selenium, Total	ug/L	50	30	5	5/28/2020	ND	5/28/2020	ND	Discharge from petroleum, glass, and metal refineries; erosion of natural deposits; discharge from mines and chemical manufacturers; runoff from livestock lots (feed additive)
Silver, Total	ug/L	100 (f)	NA	(0.5)	5/28/2020	ND	5/28/2020	ND	Industrial Discharges

Thallium, Total	ug/L	2	0.1	1	5/28/2020	ND	5/28/2020	ND	Leaching from ore-processing sites; discharge from electronics, glass, and drug factories
Zinc, Total	mg/L	5 (f)	NA	(0.02)	5/28/2020	ND	5/28/2020	ND	Runoff/leaching from natural deposits; industrial wastes

# ABBREVIATIONS AND FOOTNOTES

Abbreviations				
	DCPA	Dimethyl Tetrachloroterephthalate	NC	Not Collected
	DLR	Detection Limits for purposes of Reporting	ND	None Detected above dectection limit (DLR)
	MCL	Maximum Contaminant Level	pCi/L	picoCuries per Liter
	MCLG	Maximum Contaminant Level Goal	PHG	Public Health Goal
	MFL	Million Fibers per Liter	ppb	Parts per billion
	MRDL	Maximum Residual Disinfectant Level	ppm	Parts per million
	MRDLG	Maximum Residual Disinfectant Level Goal	ppt	Parts per trillion
	MRL	Minimum Reporting Limit	ppq	Parts per quadrillion
	NA	Not Applicable		

#### Footnotes

	(a)	Copper, MTBE, and thiobencarb have both primary and secondary standards.
	(b)	MTBE has a secondary MCL of 5 ppb.
	(c)	Lead and copper are regulated as a Treatment Technique under the Lead and
		Copper Rule. It requires systems to take water samples at the consumers' tap.
		The action levels, which trigger water systems into taking treatment steps
		if exceeded in more than 10% of the tap water samples, are 1.3 ppm for copper
		and 15 ppb for lead.
	(d)	The State primary MCL for perchlorate was set at 6 ppb effective October 18, 2007.
		Perchlorate reporting level is 2 ppb.
	(e)	1,2,3-Trichloropropane is an unregulated contaminant with a notification level of 0.005 ppb.
	(f)	Secondary MCL.
	(g)	Gross beta particle activity MCL is 4 millirem/year annual dose equivalent to the total body or any internal
		organ. 50pCi/L is used as a screening level.
	(h)	Thiobencarb has a secondary MCL of 1 ppb.