

CENTRAL COAST WATER AUTHORITY POLONIO PASS WATER TREATMENT PLANT WATER QUALITY TABLE

COVERING THE REPORTING PERIOD OF JANUARY-DECEMBER 2021

Please see last page for key to abbreviations.

						TREATED	SOURCE	
		State	PHG	State	Range		STATE	
Parameter	Units	MCL	(MCLG)	DLR	Average	CCWA	WATER	Major Sources in Drinking Water

PRIMARY STANDARDS--Mandatory Health-Related Standards

CLARITY (a)

Combined Filter Effluent	NTU	TT=<1 NTU every 4 hours	Range	0.04 - 0.14	NA	Soil runoff
Turbidity (a)	NIU	TT=95% of samples <0.3 NTU	%	100%	NA	

INORGANIC CHEMICALS

Aluminum	mg/L	1 (b)	0.6	0.05	Range	ND - 0.086	ND - 0.055	Erosion of natural deposits; residual from some
Aummum	mg/∟	I (d)	0.0	0.05	Average	0.061	0.030	surface water treatment processes
Arsenic, Total	ug/L	10	0.004	2	Range	ND	2.4	Erosion of natural deposits; runoff from orchards;
Alsenic, Tolai	ug/L	10	0.004	2	Average	ND	2.4	glass and electronics production wastes
Fluoride	mg/L	2	1	0.1	Range	ND	0.1	Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer
	iiig/L	2	1	0.1	Average	ND		and aluminum factories

RADIONUCLIDES

Gross Beta Particle	pCi/L	50 (a)	(0)	1	Range	ND	7.2	Decay of natural and man-made deposits
Gloss Deta Falticle	poi/L	50 (g)	(0)	7	Average	ND	7.2	Decay of flatural and filan-filade deposits

DISTRIBUTION SYSTEM MONITORING

Total Chlorine Residual	mg/L	MRDL = 4.0	MRDLG =	NA	Range	1.37 - 3.58	NA	Drinking water disinfectant added for treatment
	<u>g</u> , _		4.0		Average	2.79	NA	
Total Coliform					Range	0	NA	
Bacteria		(c)	(0)		Average	0	NA	Naturally present in the environment
Buotona					Highest	0%	NA	
Fecal Coliform and					Range	0	NA	
E.coli (c)		0	(0)		Average	0	NA	Human and animal fecal waste
					Highest	0%	NA	
Total Trihalomethanes					Range	43 - 58	NA	
(d)	ug/L	80	NA	(0.5)	Average	51	NA	By-product of drinking water chlorination
(0)					Highest LRAA	52.8	NA	
					Range	6.3 - 11	NA	
Haloacetic Acids (d)	ug/L	60	NA	(1) (e)	Average	9	NA	By-product of drinking water chlorination
					Highest LRAA	13.0	NA	

SECONDARY STANDARDS--Aesthetic Standards

Chloride	mg/L	500 (j)	NA	(1)	Range	94 - 147	90 - 137	Runoff/leaching from natural deposits; seawater
Chionde	mg/∟	500 (J)	11/1	(1)	Average	116	112	influence
Color	ACU	15 (j)	NA	(3)	Range	ND	10	-Naturally occuring organic materials
COIOI	700	13 ()		(3)	Average	ND	10	Naturally occurring organic materials
Corrosivity	SU	non-	NA	(0.1)	Range	12	12.6	
(Aggresivity Index) (i)	00	corrosive	IN/A	(0.1)	Average	12	12.6	
Iron, Total	mg/L	0.3 (j)	NA	(0.01)	Range	ND	0.010	Leaching from natural deposits; industrial wastes
itoti, totai	mg/∟	0.3 (j)	IN/A	(0.01)	Average	ND	0.010	Leaching normatural deposits, industrial wastes
Magnesium, Total	mg/L	NA	NA	(0.1)	Range	16	16	Runoff/leaching from natural deposits; seawater
waynesium, rotai	mg/∟	NA	N/A	(0.1) Ave	Average	16	16	influence
Manganese, Total	ug/L	50 (j)	NA	(2)	Range	ND	8.3	
ivialigaliese, Total	ug/L	50 ()		(2)	Average	ND	8.3	
Odor Threshold	TON	3 (j)	NA	(1)	Range	ND - 2	1 - 4	Naturally occuring organic materials
	TON	5()	IN/A	(1)	Average	1	2	Naturally occurring organic matchais
Specific Conductance	uS/cm	1600 (j)	NA	NA	Range	580 - 802	538 - 741	Substances that form ions when in water;
Specific Conductance	u3/cm	1000 (j)	IN/A	IN/A	Average	644	591	seawater influence
Sulfata	ma/l	500 (i)	NA	(0 E)	Range	84	45	Runoff/leaching from natural deposits; industrial
Sulfate	mg/L	500 (j)	NA	(0.5)	Average	84	45	wastes
Total Dissolved Solids	ma/l	1000 (i)	NA	(10)	Range	360	310	Bunoff/leaching from natural denosite
(TDS)	mg/L	1000 (j)	NA	(10)	Average	360	310	 Runoff/leaching from natural deposits

						TREATED	SOURCE	
		State	PHG	State	Range		STATE	
Parameter	Units	MCL	(MCLG)	DLR	Average	CCWA	WATER	Major Sources in Drinking Water
Turbidity (Monthly) <i>(a)</i>	NTU	5 (j)	NA	(0.1)	Range	ND - 0.25	ND - 4.8	Soil runoff
	NIU	5()		(0.1)	Average	0.06	1.24	

ADDITIONAL PARAMETERS (Unregulated)

			1		Range	ND - 18		ND - 48	An organic compound mainly produced by blue-
2-Methylisoborneol	ng/L	NA	NA	(1)	Average	5.9		12.2	green algae (cyanobacteria)
Alkalinity (Total) as					Range	62 - 92	$^{+-}$	70 - 104	Runoff/leaching from natural deposits; seawater
CaCO ₃ equivalents	mg/L	NA	NA	(2)	Average	78		90	influence
Anian Sum Calculated		NA	NIA	(0.001)	Range	6.1	Π	5.4	
Anion Sum - Calculated	meq/L	NA	NA	(0.001)	Average	6.1		5.4	-
Bicarbonate Alkalinity	mg/L	NA	NA	(2)	Range	96	Π	110	
as HCO ₃	mg/L	INA	INA	(2)	Average	96		110	
Calcium	mg/L	NA	NA	(1)	Range	24		24	Runoff/leaching from natural deposits; seawater
Calcium	mg/∟		114	(1)	Average	24		24	influence
Carbonate as CO_3	mg/L	NA	NA	(2)	Range	ND		3.6	
	iiig/L	INA.		(2)	Average	ND		3.6	
Cation Sum - Calculated	meq/L	NA	NA	(0.001)	Range	6.2		5.6	
Calon Call Calculated	moq/E	10.		(0.001)	Average	6.2		5.6	
Chromium, Hexavalent	ug/L	NA	0.02	NA	Range	0.13		0.062	Discharge from electroplating factories, leather tanneries, wood preservation, chemical synthesis,
	ug/L		0.02		Average	0.13		0.062	refractory production, and textile manufacturing facilities; erosion of natural deposits
Geosmin	ng/L	NA	NA	(1)	Range	ND - 17		ND - 51	An organic compound mainly produced by
-	lig/∟	INA		(1)	Average	3.8		19.0	bacterial growth in surface water
Hardness (Total) as CaCO3	mg/L	NA	NA	(3)	Range Average	98 - 162 123		100 - 166 124	Leaching from natural deposits
Heterotrophic Plate					Range	0 - 221		NA	
Count (f)	CFU/mL	TT	NA	NA	Average	3		NA	Naturally present in the environment
					Range	0.075	T	0.69	
Langelier Index @ 25 °C	NONE	NA	NA	(-14)	Average	0.075		0.69	
				(1 1)	Range	0.51	Π	1.1	
Langelier Index @ 60 °C	NONE	NA	NA	(-14)	Average	0.51		1.1	
Magnesium, Total	mg/L	NA	NA	(0.1)	Range	16		16	Runoff/leaching from natural deposits; seawater
	J .			` '	Average	16	┥┝	16	
рН	SU	NA	NA	(0.1)	Range Average	7.4 - 8.8 8.3		7.7 - 9.5 8.7	Runoff/leaching from natural deposits; seawater influence
Potassium	mg/L	NA	NA	(1)	Range	3.6 3.6		3.6 3.6	Runoff/leaching from natural deposits; seawater influence
					Average Range	3.6 83	┨┝╴	<u>3.6</u> 68	Runoff/leaching from natural deposits; seawater
Sodium	mg/L	NA	NA	(1)	Average	83	11-	68	influence
Total Organic Carbon	mg/L	TT	NA	(0.3)	Range	1.1 - 4.1	1	1.9 - 5.6 3.7	Various natural and man made sources
(TOC) <i>(g)</i>					Average	2.2	ц.	J.1	1

						TREATED	SOURCE	
		State	PHG	State	Range		STATE	
Parameter	Units	MCL	(MCLG)	DLR	Average	CCWA	WATER	Major Sources in Drinking Water
ABBREVIATIONS	ΔΝΠ Ν	OTES						

Footnotes:

- (a) Turbidity (NTU) is a measure of the cloudiness of the water and it is a good indicator of the effectiveness of our filtration system. Monthly turbidity values are listed in the Secondary Standards section.
- (b) Aluminum has a Secondary MCL of 0.2 ppm.
- (c) Total coliform MCLs: Systems that collect ≥40 samples/month no more than 5.0% of the monthly samples may be Total Coliform positive. Systems that collect <40 samples per month no more than 1 positive sample per month may be Total Coliform positive. Fecal coliform/E. coli MCLs: The occurrence of 2 consecutive Total Coliform positive samples, one of which contains fecal coliform/E. coli, constitutes an acute MCL violation.

This Water Quality Report reflects changes in drinking water regulatory requirements during 2021. These revisions add the requirements of the federal Revised Total Coliform Rule. The revised rule maintains the purpose to protect public health by ensuring the integrity of the drinking water distribution system and monitoring for the presence of microbials (i.e., total coliform and E. coli bacteria). The U.S. EPA anticipates greater public health protection as the rule requires water systems that are vulnerable to microbial contamination to identify and fix problems. Water systems that exceed a specified frequency of total coliform occurrences are required to conduct an assessment to determine if any sanitary defects exist. If found, these must be corrected by the water system. The state Revised Total Coliform Rule became effective July 1, 2021.

(d) Compliance based on the running quarterly annual average of distribution system samples.(e) Monochloroacetic Acid (MCAA) has a DLR of 2.0 ug/L while the other four Haloacetic Acids

- have DLR's of 1.0 ug/L.
- (f) Pour plate technique
- (g) TOCs are taken at the treatment plant's combined filter effluent.
- (h) State MCL is 45 mg/L as NO₃, which equals 10 mg/L as N.
- (i) Al \geq 12.0 = Non-aggressive water Al (10.0 - 11.9) = Moderately aggressive water Al \leq 10.0 = Highly aggressive water Reference: ANSI/AWWA Standard C400-93 (R98)
- (j) Secondary MCL

Abbreviations

- ACU = Apparent Color Units CCWA = Central Coast Water Authority CFU/ml = Colony Forming Units per milliliter DLR = Detection Level for purposes of Reporting MCL = Maximum Contaminant Level MCLG = Maximum Contaminant Level Goal MRDL = Maximum Residual Disinfectant Level MRDLG = Maximum Residual Disinfectant Level Goal NA = Not Applicable ND = Non-detected above detection limit (DLR) NTU = Nephelometric Turbidity Units pCi/L = PicoCuries per liter PHG = Public Health Goal ppb = parts per billion, or micrograms per liter (μ g/L) ppm = parts per million, or milligrams per liter (mg/L) TON = Threshold Odor Number
- TT = Treatment Technique
- LRAA = Locational Running Annual Average

					Raw Source Water		Treated	Water		
		State or			State Wate	r Project	Polonio Pa	ss WTP		
Parameter	Units	Federal MCL [MRDL]	PHG (MCLG) [MRDLG]	State DLR (MRL)	Most Recent Sample Date	Result	Most Recent Sample Date	Result	Major Sources in Drinking Water	
RADIONUCLIDES										
	0.1	45	(0)		E 100/0004	ND	E 100/0004	ND		
Gross Alpha Particle	pCi/L	15	(0)	3	5/26/2021	ND	5/26/2021	ND	Erosion of natural deposits	
ORGANIC CHEMICALS										
Regulated VOC's plus L	ists 1&3 (E	EPA 524	4.2)							
				(0.5)	E 100 1000 4		E 100 1000 4			
1,1,1,2-Tetrachloroethane	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
1,1,1-Trichloroethane	ug/L	200	1000	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from metal degreasing sites and other factories; manufacture of food wrappings	
1,1,2,2-Tetrachloroethane	ug/L	1	0.1	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from industrial and agricultural chemical factories; solvent used in production of TCE, pesticides, varnish and lacquers	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/L	1.2	4	0.01	5/26/2021	ND	5/26/2021	ND	Discharge from metal degreasing sites and other factories; dry cleaning solvent; refrigerant	
1,1,2-Trichloroethane	ug/L	5	0.3	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from industrial chemical factories	
1,1-Dichloroethane	ug/L	5	3	0.5	5/26/2021	ND	5/26/2021	ND	Extraction and degreasing solvent; used in manufacture of pharmaceuticals, stone, clay and glass products; furnigant	
1,1-Dichloroethylene	ug/L	6	10	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from industrial chemical factories	
1,1-Dichloropropene	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
				(0.5)	E 100 1000 4		F/00/0004	ND		
1,2,3-Trichlorobenzene	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
1,2,3-Trichloropropane	ng/L	5 (e)	0.7	5	5/26/2021	ND	5/26/2021	ND	Discharge from industrial and agricultural chemical factories; leaching from hazardous waste sites; used as cleaning and maintenance solvent, paint and varnish remover, and cleaning and degreasing agent; byproduct during the production of other compounds and pesticides.	
1,2,4-Trichlorobenzene	ug/L	5	5	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from textile-finishing factories	
1,2,4-11101000012010	ug/L	5	5	0.5	5/20/2021	ND	5/20/2021	ND		
1,2,4-Trimethylbenzene	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
Ethylene dibromide	ng/L	50	10	20	5/26/2021	ND	5/26/2021	ND	Discharge from petroleum refineries; underground gas tank leaks; banned nematocide that may still be present in soils due to runoff and leaching from grain and fruit crops	
1,2-Dichlorobenzene	ug/L	600	600	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from industrial chemical factories	
	9,=									
1,2-Dichloroethane	ng/L	500	400	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from industrial chemical factories	
1,2-Dichloropropane	ug/L	5	0.5	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from industrial chemical factories; primary component of some fumigants	
1,3,5-Trimethylbenzene	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
	ug/L	NA	INA	(0.5)	JIZU/ZUZ I		5/20/2021			
1,3-Dichlorobenzene	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
1,3-Dichloropropane	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
								• ·		
1,4-Dichlorobenzene	ug/L	5	6	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from industrial chemical factories	
2,2-Dichloropropane	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
2-Butanone	ug/L	NA	NA	5	5/26/2021	ND	5/26/2021	ND		
	ug/L	NA	INA	5	JIZU/ZUZ I		5/20/2021			
2-Chlorotoluene	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		

					Raw Source	e Water	Treated Water			
		State or			State Wate		Polonio Pa			
Parameter	Units	Federal MCL [MRDL]	PHG (MCLG) [MRDLG]	State DLR (MRL)	Most Recent Sample Date	Result	Most Recent Sample Date	Result	Major Sources in Drinking Water	
		[]	[(Rooun		
4-Methyl-2-pentanone	ug/L	NA	NA	(5)	5/26/2021	ND	5/26/2021	ND		
Benzene	ug/L	1	0.15	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from plastics, dyes and nylon factories; leaching from gas storage tanks and landfills	
Promohonzono		NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
Bromobenzene	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
Bromochloromethane	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
Bromomethane	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
Carbon disulfido		NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
Carbon disulfide	ug/L	NA	NA	(0.3)	5/20/2021	ND	5/20/2021	ND		
Carbon tetrachloride	ng/L	500	100	500	5/26/2021	ND	5/26/2021	ND	Discharge from chemical plants and other industrial activities	
Chlorobenzene	ug/L	70	200	(0.5)	5/26/2021	ND	5/26/2021	ND		
Chloroothana		NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
Chloroethane	ug/L	NA	NA	(0.5)	5/20/2021	ND	5/20/2021	ND		
Chloromethane	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
cis-1,2-Dichloroethylene	ug/L	6	100	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from industrial chemical factories; major biodegradation by-product of TCE and PCE groundwater contamination	
cis-1,3-Dichloropropene	ug/L	NA	NA		5/26/2021	ND	5/26/2021	ND	Runoff/leaching from nematocide used on croplands	
cis-1,3-Dichloropropene	ug/L		NA					ND		
Dibromomethane	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
Diisopropyl ether	ug/L	NA	NA	(3)	5/26/2021	ND	5/26/2021	ND		
Dichlorodifluoromethane	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
Diciliorodinacionethane	ug/L			(0.3)				ND		
Ethylbenzene	ug/L	300	300	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from petroleum refineries; industrial chemical factories	
tert-Butyl ethyl ether	ug/L	NA	NA	(3)	5/26/2021	ND	5/26/2021	ND		
Hexachlorobutadiene	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
Texaciliorobuladiene	ug/L	INA	INA			ND		ND		
Isopropylbenzene	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
m,p-Xylenes	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND	Discharge from petroleum and chemical factories; fuel solvent	
Dichloromethane	ug/L	5	4	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from pharmaceutical and chemical factories; insecticide	
	ug/L			0.5						
Methyl tert-butyl ether (a)	ug/L	13 (b)	13	3	5/26/2021	ND	5/26/2021	ND	Leaking underground storage tanks; discharge from petroleum and chemical factories	
Naphthalene	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
n-Butylbenzene	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
1-Datylbenzene	uy/L									
n-Propylbenzene	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
o-Xylene	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND	Discharge from petroleum and chemical factories; fuel solvent	
n Chlorotaluana	10/1	NIA	NA	(0.5)	5/26/2024		5/26/2024	ND		
	ug/L	NA	NA	(0.5)	0/20/2021		5/20/2021	UN		
p-Isopropyltoluene	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		
p-Chlorotoluene	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND		

	1	1			Raw Source	e Water	Treated	Water	
	1	State or			State Wate		Polonio Pa		
		Federal	PHG	State	Most Recent		Most Recent		
_		MCL	(MCLG)	DLR	Sample		Sample		
Parameter sec-Butylbenzene	Units	[MRDL] NA	[MRDLG] NA	(MRL) (0.5)	Date 5/26/2021	Result ND	Date 5/26/2021	Result ND	Major Sources in Drinking Water
sec-butyiberizerie	ug/L	INA	INA	(0.3)	5/20/2021	ND	5/20/2021	ND	
Styrene	ug/L	100	0.5	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from rubber and plastic factories; leaching from landfills
tout Amoud weathed athen		NA	NA	(2)	E/20/2024	ND	E/06/0004	ND	
tert-Amyl methyl ether	ug/L	NA	NA	(3)	5/26/2021	ND	5/26/2021	ND	
tert-Butylbenzene	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND	
Tatrachlaracthylana		5	0.06	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from factories, dry cleaners, and suite shape (motal degreeseer)
Tetrachloroethylene	ug/L	5	0.00	0.5	5/20/2021	ND	5/20/2021	ND	Discharge from factories, dry cleaners, and auto shops (metal degreaser)
Toluene	ug/L	150	150	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from petroleum and chemical factories; underground gas tank leaks
1,3-Dichloropropene, Total	ng/L	500	200	500	5/26/2021	ND	5/26/2021	ND	Runoff/leaching from nematocide used on croplands
	ng/L	500	200	500	5/20/2021	ND	5/20/2021	ND	
Total Xylenes	mg/L	1.750	1.8	0.0005	5/26/2021	ND	5/26/2021	ND	Discharge from petroleum and chemical factories; fuel solvent
									Discharge from industrial chemical factories; minor biodegradation by-product of TCE and PCE
trans-1,2-Dichloroethylene	ug/L	10	60	0.5	5/26/2021	ND	5/26/2021	ND	groundwater contamination
trans-1,3-Dichloropropene	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND	Runoff/leaching from nematocide used on croplands
Trichloroethylene	ug/L	5	1.7	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from metal degreasing sites and other factories
		150	1000	_	5/00/000/		E /0.0 /0.00 /		
Trichlorofluoromethane	ug/L	150	1300	5	5/26/2021	ND	5/26/2021	ND	Discharge from industrial factories; degreasing solvent; propellant and refrigerant
Vinul oblarida		500	50	500	5/26/2021	ND	5/26/2021	ND	Leaching from PVC piping; discharge from plastics factories; biodegradation by-product of TCE and
Vinyl chloride	ng/L	500	50	500	5/20/2021	ND	5/20/2021	ND	PCE groundwater contamination
Organochlorine Pesticid	Los/PCBs ((5)						
Organochionne Festiciu		LFA 50	5)						
Alachlor	ug/L	2	4	1	5/26/2021	ND	5/26/2021	ND	Runoff from herbicide used on row crops
Aldrin		NA	NA	(0.01)	E/20/2024	ND	E/26/2024	ND	
Aldrin	ug/L	NA	NA	(0.01)	5/26/2021	ND	5/26/2021	ND	
Chlordane	ng/L	100	30	100	5/26/2021	ND	5/26/2021	ND	Residue of banned insecticide
Dieldrin	ug/L	NA	NA	(0.2)	5/26/2021	ND	5/26/2021	ND	
	ug/L	INA	INA	(0.2)	5/20/2021	ND	5/20/2021	ND	
Endrin	ug/L	2	0.3	0.1	5/26/2021	ND	5/26/2021	ND	Residue of banned insecticide and rodenticide
Heptachlor	ng/L	10	8	10	5/26/2021	ND	5/26/2021	ND	Residue of banned insecticide
	119/2	10	Ű	10	GIEGIEGE I	ne -	GIEGIEGET		
Heptachlor epoxide	ng/L	10	6	10	5/26/2021	ND	5/26/2021	ND	Breakdown of heptachlor
Lindane	ng/L	200	32	200	5/26/2021	ND	5/26/2021	ND	Runoff/leaching from insecticide used on cattle, lumber, gardens
				200			0/20/2021		
Methoxychlor	ug/L	30	0.09	10	5/26/2021	ND	5/26/2021	ND	Runoff/leaching from insecticide used on fruits, vegetables, alfalfa, livestock
PCB 1016 Aroclor (as DCB)	ug/L	0.5	NA	(0.1)	5/26/2021	ND	5/26/2021	ND	Runoff from landfills; discharge of waste chemicals
PCB 1221 Aroclor (as DCB)	ug/L	0.5	NA	(0.1)	5/26/2021	ND	5/26/2021	ND	Runoff from landfills; discharge of waste chemicals
PCB 1232 Aroclor (as DCB)	ug/L	0.5	NA	(0.1)	5/26/2021	ND	5/26/2021	ND	Runoff from landfills; discharge of waste chemicals
PCB 1242 Aroclor (as DCB)	ug/L	0.5	NA	(0.1)	5/26/2021	ND	5/26/2021	ND	Runoff from landfills; discharge of waste chemicals
PCB 1248 Aroclor (as DCB)	ug/L	0.5	NA	(0.1)	5/26/2021	ND	5/26/2021	ND	Runoff from landfills; discharge of waste chemicals
······/			· · · · ·						

			, 		Raw Source Water Treated Wa			Water			
		State or			State Water Project		Polonio Pa		1		
		Federal	PHG	State	Most Recent		Most Recent		-		
Parameter	Units	MCL [MRDL]	(MCLG) [MRDLG]	DLR (MRL)	Sample Date	Result	Sample Date	Result	Major Sources in Drinking Water		
DOD 1951 Arcelon (co. DOD)		0.5	NIA	(0.1)	E/00/0004	ND	E/20/2024	ND	Dur off from landfille, discharge of weste chemicals		
PCB 1254 Aroclor (as DCB)	ug/L	0.5	NA	(0.1)	5/26/2021	ND	5/26/2021	ND	Runoff from landfills; discharge of waste chemicals		
PCB 1260 Aroclor (as DCB)	ug/L	0.5	NA	(0.1)	5/26/2021	ND	5/26/2021	ND	Runoff from landfills; discharge of waste chemicals		
PCB`s, Total	ng/L	500	90	500	5/26/2021	ND	5/26/2021	ND	Runoff from landfills; discharge of waste chemicals		
Toxaphene	ug/L	3	0.03	1	5/26/2021	ND	5/26/2021	ND	Runoff/leaching from insecticide used on cotton and cattle		
Toxaphene	ug/L	5	0.03	1	5/20/2021	ND	5/20/2021	ND			
Aldicarbs (EPA 531.2)											
3-Hydroxycarbofuran	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND			
Aldicarb	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND			
Aldicarb sulfone	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND			
	ug/L	1973	1973	(0.0)	5/20/2021	ND	5/20/2021	ND			
Aldicarb sulfoxide	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND			
Baygon	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND			
Carbaryl	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND			
Gaibaryi	ug/L	1.0.1	1.0.1	(0.0)	GIEGIEGE I	ne -	GIEGIEGET				
Carbofuran	ug/L	18	0.7	5	5/26/2021	ND	5/26/2021	ND	Leaching of soil fumigant used on rice and alfalfa, and grape vineyards		
Methiocarb	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND			
Methomyl	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND			
				(0.0)							
Oxamyl	ug/L	50	26	20	5/26/2021	ND	5/26/2021	ND	Runoff/leaching from insecticide used on field crops, fruits and ornamentals, especially apples,		
					0/20/2021		0/20/2021		potatoes, and tomatoes		
Diquet and Baraquet (El	BA 540 2)										
Diquat and Paraquat (El	-A 349.2)										
Diquat	ug/L	20	6	4	5/26/2021	ND	5/26/2021	ND	Runoff from herbicide use for terrestrial and aquatic weeds		
			-	· ·							
Paraquat	ug/L	NA	NA	(2)	5/26/2021	ND	5/26/2021	ND			
EDB and DBCP (EPA 55	1.1)										
									Pannad nametacida that may still be present in sails due to supeffleashing from former uses an		
Dibromochloropropane	ng/L	200	1.7	10	5/26/2021	ND	5/26/2021	ND	Banned nematocide that may still be present in soils due to runoff/leaching from former use on soybeans, cotton, vineyards, tomatoes, and tree fruit		
Ethylene dibromide	ng/L	50	10	20	5/26/2021	ND	5/26/2021	ND	Discharge from petroleum refineries; underground gas tank leaks; banned nematocide that may still		
	119/E		10	20	0,20,2021		0,20/2021		be present in soils due to runoff and leaching from grain and fruit crops		

					Raw Source Water		Treated	Water	
					State Water Project		Polonio Pa		
Parameter	Units	Federal MCL [MRDL]	PHG (MCLG) [MRDLG]	State DLR (MRL)	Most Recent Sample Date	Result	Most Recent Sample Date	Result	Major Sources in Drinking Water
Chlorophenoxy Herbicic					Date	Result	Date	Result	
2,4,5-T	ug/L	NA	NA	(0.2)	5/26/2021	ND	5/26/2021	ND	
2,4,5-TP	ug/L	50	3	1	5/26/2021	ND	5/26/2021	ND	Residue of banned herbicide
2,4,0-11	ug/L		5	l l	5/20/2021	ND	5/20/2021	ND	
2,4-Dichlorophenoxyacetic acid	ug/L	70	20	10	5/26/2021	ND	5/26/2021	ND	Runoff from herbicide used on row crops, range land, lawns, and aquatic weeds
2,4-DB	ug/L	NA	NA	2	5/26/2021	ND	5/26/2021	ND	
2,+00	ug/L	11/1	11/3	2	0/20/2021	ND	5/20/2021	ND	
3,5-Dichlorobenzoic acid	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND	
Acifluorfen	ug/L	NA	NA	(0.2)	5/26/2021	ND	5/26/2021	ND	
Kondonen	ug/L	11/1	1923	(0.2)	0/20/2021	NB	5/20/2021	ND	
Bentazon	ug/L	18	200	2	5/26/2021	ND	5/26/2021	ND	Runoff/leaching from herbicide used on beans, peppers, corn, peanuts, rice, and ornamental
	9,-			_					grasses
Dalapon	ug/L	200	790	10	5/26/2021	ND	5/26/2021	ND	Runoff from herbicide used on rights-of-way, and crops and landscape maintenance
Dicamba	ug/L	NA	NA	(0.1)	5/26/2021	ND	5/26/2021	ND	
Dichlorprop	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND	
Dinoseb	ug/L	7	14	2	5/26/2021	ND	5/26/2021	ND	Runoff from herbicide used on soybeans, vegetables, and fruits
Pentachlorophenol	ug/L	1	0.3	0.2	5/26/2021	ND	5/26/2021	ND	Discharge from wood preserving factories, cotton and other insecticidal/herbicidal uses
Picloram	ug/L	500	166	1	5/26/2021	ND	5/26/2021	ND	Herbicide runoff
DCPA (total Mono & Diacid				(2.1)			= /2.2 /2.2.2 /		
Degradates)	ug/L	NA	NA	(0.1)	5/26/2021	ND	5/26/2021	ND	
Oth an Ormath atia Ormania									
Other Synthetic Organic	S								
Dioxin	pg/L	30	0.05	5	5/26/2021	ND	5/26/2021	ND	Emissions from waste incineration and other combustion; discharge from chemical factories
Endothall	ug/L	100	94	45	5/26/2021	ND	5/26/2021	ND	Runoff from herbicide use for terrestrial and aquatic weeds; defoliant
Glyphosate	ug/L	700	900	25	5/26/2021	ND	5/26/2021	ND	Runoff from herbicide use
Semivolatiles (EPA 525.)	2)								
2,4-Dinitrotoluene	ug/L	NA	NA	(0.1)	5/26/2021	ND	5/26/2021	ND	
	ug/L	NA	NA	(0.1)	5/20/2021	UND	5/20/2021	UN	
Acenaphthylene	ug/L	NA	NA	(0.1)	5/26/2021	ND	5/26/2021	ND	
alaba Chlardana	ا/مرز	NIA	NIA	(0.5)	E/26/2024	ND	E/26/2024	ND	
alpha-Chlordane	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND	
Anthracene	ug/L	NA	NA	(0.02)	5/26/2021	ND	5/26/2021	ND	
Atrovino	1,	4	0.45	0.5	E/26/2024	ND	E/26/2024	ND	Duroff from barbielde used on row grans and clarge voltaged and bishurgy visits of user
Atrazine	ug/L	1	0.15	0.5	5/26/2021	ND	5/26/2021	ND	Runoff from herbicide used on row crops and along railroad and highway right-of-ways
Benzo (a) anthracene	ug/L	NA	NA	(0.05)	5/26/2021	ND	5/26/2021	ND	
		000	_	400	F/00/0001	NE	E/00/0001	ND	Landring from Brings of webs strong to be said 1949-19
Benzo (a) pyrene	ng/L	200	7	100	5/26/2021	ND	5/26/2021	ND	Leaching from linings of water storage tanks and distribution mains
Benzo (b) fluoranthene	ug/L	NA	NA	(0.02)	5/26/2021	ND	5/26/2021	ND	

					Raw Source Water		Treated Water		
		State or			State Wate		Polonio Pa	ss WTP	
Parameter	Units	Federal MCL [MRDL]	PHG (MCLG) [MRDLG]	State DLR (MRL)	Most Recent Sample Date	Result	Most Recent Sample Date	Result	Major Sources in Drinking Water
Benzo (g,h,i) perylene	ug/L	NA	NA	(0.05)	5/26/2021	ND	5/26/2021	ND	
Benzo (k) fluoranthene	ug/L	NA	NA	(0.02)	5/26/2021	ND	5/26/2021	ND	
Bromacil	ug/L	NA	NA	(0.2)	5/26/2021	ND	5/26/2021	ND	
Butachlor	ug/L	NA	NA	(0.05)	5/26/2021	ND	5/26/2021	ND	
Butylbenzylphthalate	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND	
Caffeine	ug/L	NA	NA	(0.05)	5/26/2021	ND	5/26/2021	ND	
Chrysene	ug/L	NA	NA	(0.02)	5/26/2021	ND	5/26/2021	ND	
Di (2-Ethylhexyl) phthalate	ug/L	4	12	3	5/26/2021	ND	5/26/2021	ND	Discharge from rubber and chemical factories; inert ingredient in pesticides
Di-(2-Ethylhexyl) adipate	ug/L	400	200	5	5/26/2021	ND	5/26/2021	ND	Discharge from chemical factories
di-n-Butylphthalate	ug/L	NA	NA	(1)	5/26/2021	ND	5/26/2021	ND	
Diazinon	ug/L	NA	NA	(0.1)	5/26/2021	ND	5/26/2021	ND	
Dibenz (a,h) anthracene	ug/L	NA	NA	(0.05)	5/26/2021	ND	5/26/2021	ND	
Diethylphthalate	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND	
Dimethoate	ug/L	NA	NA	(0.1)	5/26/2021	ND	5/26/2021	ND	
Dimethylphthalate	ug/L	NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND	
Fluoranthene	ug/L	NA	NA	(0.1)	5/26/2021	ND	5/26/2021	ND	
Fluorene	ug/L	NA	NA	(0.05)	5/26/2021	ND	5/26/2021	ND	
gamma-Chlordane	ug/L	NA	NA	(0.05)	5/26/2021	ND	5/26/2021	ND	
gamma-omordane	ug/L			(0.03)	5/20/2021	ND	5/20/2021	ND	
Hexachlorobenzene	ug/L	1	0.03	0.5	5/26/2021	ND	5/26/2021	ND	Discharge from metal refineries and agricultural chemical factories; by-product of chlorination reactions in wastewater
Hexachlorocyclopentadiene	ug/L	50	2	1	5/26/2021	ND	5/26/2021	ND	Discharge from chemical factories
Indeno (1,2,3,c,d) Pyrene	ug/L	NA	NA	(0.05)	5/26/2021	ND	5/26/2021	ND	
Isophorone		NA	NA	(0.5)	5/26/2021	ND	5/26/2021	ND	
	ug/L								
Metolachlor	ug/L	NA	NA	(0.05)	5/26/2021	ND	5/26/2021	ND	
Metribuzin	ug/L	NA	NA	(0.05)	5/26/2021	ND	5/26/2021	ND	
Molinate	ug/L	20	1	2	5/26/2021	ND	5/26/2021	ND	Runoff/leaching from herbicide used on rice
Phenanthrene	ug/L	NA	NA	(0.04)	5/26/2021	ND	5/26/2021	ND	
Propachlor	ug/L	NA	NA	(0.05)	5/26/2021	ND	5/26/2021	ND	
Pyrene	ug/L	NA	NA	(0.05)	5/26/2021	ND	5/26/2021	ND	
	×								

		State or			Raw Source Water		Treated Water		
					State Wate	r Project	Polonio Pa	ss WTP	
		Federal	PHG	State	Most Recent		Most Recent		
Parameter	Units	MCL [MRDL]	(MCLG) [MRDLG]	DLR (MRL)	Sample Date	Result	Sample Date	Result	Major Sources in Drinking Water
Simazine	ug/L	4	4	1	5/26/2021	ND	5/26/2021	ND	Herbicide runoff
	<u> </u>								
Thiobencarb (a)	ug/L	70 (h)	42	1	5/26/2021	ND	5/26/2021	ND	Runoff/leaching from herbicide used on rice
trans-Nonachlor	ug/l	NA	NA	(0.05)	5/26/2021	ND	5/26/2021	ND	
	ug/L	IN/A	INA	(0.03)	3/20/2021	ND	3/20/2021	ND	
Trifluralin	ug/L	NA	NA	(0.1)	5/26/2021	ND	5/26/2021	ND	
INORGANIC CHEMICAL	<u>s</u>	_							
Antimony Total	ug/l	6	1	6	5/26/2021	ND	5/26/2021	ND	Discharge from notroleum refinarios: fire reterdente: coromice: electronice: celder
Antimony, Total	ug/L	0	1	0	5/20/2021	ND	5/20/2021	ND	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder
Asbestos	MFL	7	7	0.2	5/26/2021	ND	5/26/2021	ND	Internal corrosion of asbestos cement water mains; erosion of natural deposits
Barium, Total	mg/L	1	2	0.1	5/26/2021	ND	5/26/2021	ND	Discharges of oil drilling wastes and from metal refineries; erosion of natural deposits
									Discharge from metal refineries, coal-burning factories, and electrical, aerospace, defense
Beryllium, Total	ug/L	4	1	1	5/26/2021	ND	5/26/2021	ND	industries
Codesium Total		F	0.04	4	E/06/0001		E/06/0001	ND	Internal corrosion of galvanized pipes; erosion of natural deposits; discharge from electroplating and
Cadmium, Total	ug/L	5	0.04	1	5/26/2021	ND	5/26/2021	ND	industrial chemical factories, and metal refineries; runoff from waste batteries and paints
Chromium, Total	ug/L	50	(100)	10	5/26/2021	ND	5/26/2021	ND	Discharge from steel and pulp mills and chrome plating; erosion of natural deposits
Copper (a)	mg/L	1 (c) (f)	0.3	0.05	5/26/2021	ND	5/26/2021	ND	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Cyanide	ug/L	150	150	100	5/26/2021	ND	5/26/2021	ND	Discharge from steel/metal, plastic and fertilizer factories
Hydroxide as OH	mg/L	NA	NA	(2)	5/26/2021	ND	5/26/2021	ND	
	ilig/L	IN/A	INA	(2)	3/20/2021	ND	3/20/2021	ND	
Lead	ug/L	(c)	0.2	5	5/26/2021	ND	5/26/2021	ND	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers;
									Erosion of natural deposits; discharge from refineries and factories; runoff from landfills and
Mercury	ug/L	2	1.2	1	5/26/2021	ND	5/26/2021	ND	cropland
Nickel, Total	ug/L	100	12	10	5/26/2021	ND	5/26/2021	ND	Erosion of natural deposits; discharge from metal factories
		45 (h)	NIA		F/00/0004	ND	E/00/0004	ND	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural
Nitrate as NO3-	mg/L	45 (h)	NA		5/26/2021	ND	5/26/2021	ND	deposits
Nitrite Nitrogen	mg/L	1	1	0.4	5/26/2021	ND	5/26/2021	ND	Runoff and leaching from fertilizer use; leach-ing from septic tanks and sewage; erosion of natural
Nune Maogen	ing/E		1	0.4		ND	0/20/2021	ND	
Perchlorate	ug/L	6 (d)	1	4	5/26/2021	ND	5/26/2021	ND	Perchlorate is an inorganic chemical used in solid rocket propellant, fireworks, explosives, flares,
		50		_	5/00/000 :	ND	5/00/0001		Discharge from petroleum, glass, and metal refineries; erosion of natural deposits; discharge from
Selenium, Total	ug/L	50	30	5	5/26/2021	ND	5/26/2021	ND	mines and chemical manufacturers; runoff from livestock lots (feed additive)
Silver, Total	ug/L	100 (f)	NA	(0.5)	5/26/2021	ND	5/26/2021	ND	Industrial Discharges
				(0.0)					
Thallium, Total	ug/L	2	0.1	1	5/26/2021	ND	5/26/2021	ND	Leaching from ore-processing sites; discharge from electronics, glass, and drug factories
Zinc, Total	mg/L	5 (f)	NA	(0.02)	5/26/2021	ND	5/26/2021	ND	Runoff/leaching from natural deposits; industrial wastes

						Raw Source Water		Treated	Water				
			State or			State Water	r Project	Polonio Pa	ss WTP				
			Federal	PHG	State	Most Recent		Most Recent					
Parameter		Unito	MCL	(MCLG) [MRDLG]	DLR (MRL)	Sample Date	Beault	Sample Date	Result	Major Sources in Drinking Water			
	IONS AND FOOT	Units	[MRDL]	[MRDLG]		Date	Result	Date	Result	Major Sources in Drinking Water			
		NOTE0											
Abbreviations	DODA	D:											
	DCPA DLR	Dimethyl Tete Detection Lin			orting	NC ND	Not Colle	cted tected above decl	action limit (F				
	MCL				brung	pCi/L		ected above deci	ection limit (L	JLR)			
	MCL Maximum Contaminant Level MCLG Maximum Contaminant Level Goal				PHG		ealth Goal						
	MFL Million Fibers per Liter				ppb	Parts per							
	MRDL Maximum Residual Disinfectant Level				I	ppm	Parts per						
	MRDLG Maximum Residual Disinfectant Level Goal				l Goal	ppt	Parts per						
	MRL Minimum Reporting Limit					pp Parts per quadrillion							
	NA	Not Applicab	le										
Footnotes													
	(a)	Copper, MTBE	, and thiobe	encarb have b	ooth primary	and secondary sta	andards.						
	(b)	MTBE has a secondary MCL of 5 ppb.											
	(c)	Lead and copper are regulated as a Treatment Technique under the Lead and											
						imples at the cons							
						taking treatment							
		and 15 ppb for		1 10% of the 1	tap water sai	mples, are 1.3 ppr	n for copper						
	(d)			r nerchlorate	was set at 6	nnh effective Octo	ober 18 2007						
	(u)	The State primary MCL for perchlorate was set at 6 ppb effective October 18, 2007. Perchlorate reporting level is 2 ppb.											
	(e)	1,2,3-Trichloropropane is an unregulated contaminant with a notification level of 0.005 ppb.											
	(f)	Secondary MCL.											
	(g)		,			nnual dose equiva	lent to the tot	al body or any int	ernal				
		organ. 50pC	i/L is used a	as a screenin	g level.								
	(h)	Thiobencarb ha	as a second	dary MCL of 1	ppb.								